

DANCOVER[®]



Manual
for
Touareg Tent TentZing

5x4m Touareg Tent Instruction

Content List

5x4m Touareg Tent

THE CONTENTS SHOULD BE AS FOLLOWS:

1 x Carrybag

1 x Canvas Tent with zipper

1 x Tent Groundsheet with zipper

1 x Galvanized Steel Center Pole

2 x Galvanized Steel Door Pole

4 x Raincap


Pin Pegs

Rebar Pegs

Guy Ropes & Sliders

1 x Repair Patch

3 boxes of Touareg Tent



1. Lay the groundsheet on the floor.
2. Put the tent canvas on groundsheet. Align the door of the tent with the door on the groundsheet, then pull the tent flat.
3. Find the zipper of tent, and zipped the groundsheet. Then you got a complete tent.



PUTTING YOUR TENT UP

1) Lay out the groundsheet and find the slightly longer side which is where the door going. Rotate the groundsheet so the door is facing the desired direction and pin it down tightly with the thin set of pegs.



2) Select out the longest guy rope for the door curtain and attach all the guy ropes to the canvas loops.



3) Take out the metal poles and extend the center pole first. Unzip the door and take the center pole with rubber stoppers at each end inside the tent. Find the top/centre of the tent and match it with the end of the pole. Then pull the pole in and up so you raise the roof of the tent.



4) Stand next to the center pole and adjust the bottom to make it as upright as possible. The pole will stay upright as there is enough tension to hold it vertical.



5) The door frame consists of two pillars and one crossbeam. First, pass the pillar through the crossbeam, and then pass it through the eyelets on the door. Stand up the pillars on both sides and secure them with ropes. Finally, put on the rain hat outside.



6) Leave the tent and use a large peg to attach the first guy rope above the door. Then zip up the door and do the guy ropes around the whole tent without putting any of them too much tension. All the guy ropes need to follow the seam lines in the roof. Adjust the guy rope slider so you have approx 50cm of loop to the peg. This allows adjustment in both directions. Get all the pegs in then go round adjusting the guy ropes to create the desired tension.



7) Tie down the elastic tie with the thin set of pegs to cover the groundsheet zip.



8) If you are lucky enough to have fantastic weather, you can roll the tent walls up to allow air to circulate through the tent. Simply unhook the bottom of the walls from the pegs, and undo the zip from all around the base of the tent, then roll up the sides and tie in place using the strings and toggles attached to the tent.



Enjoy your touareg tent and please remember, only store it bone dry!

OTHER INFORMATION:

Cotton shrinks when wet, making itself waterproof when it rains. The first time your tent gets wet it may leak a little, do not worry because THIS IS TOTALLY NORMAL!!! Once it dries out for the first time, the shrinkage will close up any little holes to ensure it will not happen again.

Contact information

Austria



Belgium



Croatia



Denmark



Estonia



Finland



France



Germany



Ireland



Italy



Latvia



Lithuania



Nederland



Norway



Poland



Portugal



Spain



Sweden



Switzerland



UK

