

DANCOVER[®]



Manual
for
Polytunnel Greenhouse
3,6m Series

DANCOVER[®]

.com

Safety Advice

Attention

In some countries or areas, you may have to obtain permission when setting up structures like greenhouses or similar buildings exceeding a certain size. It is your responsibility to comply with local rules and regulations and to ensure that the greenhouse is assembled correctly.

Please note that your polytunnel greenhouse is intended as a seasonal form of coverage and not as a permanent structure! During windy weather, we advise you to secure your greenhouse or in case of strong wind, take it down. Overall, we advise you to place your polytunnel greenhouse in the lee of a building, trees or other objects that will protect the greenhouse from too strong and direct wind.

When it rains, water may pile up on top of your polytunnel greenhouse causing it to collapse. It is your responsibility to keep the roof of the greenhouse free of gathering water. Be sure that the cover is fully extended at all times and make sure to remove water that builds up during rainfall.

In case of bad weather in general, please secure loose objects in the garden, e.g. the garden trampoline and other things that may cause a danger for your polytunnel greenhouse. Furthermore, do not use open fire, welding equipment or other sources of ignition, inside or close to the greenhouse.

When you buy a greenhouse and set it up in your garden, we recommend that you check, whether your home insurance covers the structure. At the same time, you are not supposed to be inside the greenhouse during extreme weather conditions.

This structure has not been tested for specific snow and wind loads! Make sure you follow our general safety advice and in the event of snow, always remove excessive amounts of snow from the greenhouse to prevent too much snow on the roof of the greenhouse. Snow is likely to make the entire structure to collapse; hence our advice about seasonal use only.

Note: Dancover warranty applies only to the normal use of the greenhouse, normal wear and tear excepted, by written use instructions or manual. The warranty does not apply to damage caused by accident, abuse, misuse or modification of the greenhouse.

Warranty Information

Please visit dancovershop.com for information on warranty.

Please always check our website for the latest safety advice and manual.

Assemble manual


DEAR CUSTOMER

Assembly with more than one person suggested.
















Please use gloves when assembling the metal frame portion of this unit.







The metal components of this product have been treated with a rust preventive coating that may feel oily to the touch. This coating is not dangerous, but may dirty your hands during assembly. We recommend that you wipe metal parts clean with a mixture of warm water and dish detergent prior to assembly. Should your hands become

dirty, simply wash with soap and water.




3,6 Part list

PART NO.	DESCRIPTION		QTY				
			4,8	6	7,2	8,4	9,6
No.1	Back leg		2	2	2	2	2
No.2	Regular Leg		8	10	12	14	16
No.3	End corner arch		4	4	4	4	4
No.4	Center arch		5	6	7	8	9
No.5	Cross bar		5	6	7	8	9
No.6	Diagonal		2	2	2	2	2
No.7	Main corner arch		6	8	10	12	14
No. 8	Connecting Pipe		15	20	25	30	35
No.9	Door rail female		2	2	2	2	2
No.10	Door rail male		2	2	2	2	2
No.11	Connecting Pipe		5	5	5	5	5
No.12	Rope		1	1	1	1	1
No.13	Nail		8	8	8	8	8
No.14	Floor bracket		4	4	4	4	4

No.18	1-3/4" Bolt		16	18	20	22	24
No.19	2-1/2" Bolt		3	3	3	3	3
No.20	Wing Nut		43	50	57	64	71
No.21	3" Bolot		27	32	37	42	47
No.22	Roof		1	1	1	1	1
No.23	Endwall		2	2	2	2	2

1. Assembly of middle arches


- Take one arch (no. 4); assemble with one main corner arch (No.7) on the left side.
- Take the other corner arch (no.7) on the right side.
- Take one completed arch; put screw 1-3/4" through holes on the right side and attach bar (no.5) over screw and tighten wing nut(No.19)
- Repeat same procedures on the left side.



2. Repeat step 1 for the remaining middle arches.


3. Assembly of end arches (Wing nuts are always on inside of the shelter)

- Take one arch (No.4); assemble with one end corner arch (No.3) on the left side.
- Take one complete arch ,put 1 3/4" screw through holes on the right side and attach bar (no.5) over screw and tighten wing nut
- Insert door rail (No.10) into (No.9) and attach one end to arch (No.3) with 1 3/4" screws and wing nut.
- Take the other corner arch (No.3) on the right side.
- Repeat step 3 with the remaining arch.
- Place one of the last arches assembled at the front of the shelter, the other at the back.





4. Assembly of legs

- Insert (No.1) legs into an end arch one side at a time.
- Insert (No.2) legs to the second arch.
- Add second arch to assembly connecting (No.8) into (No.11) with screw 3" (No.20)and diagonal bar (No.6) with screws 2 1/2" (No.20) with wing nuts (No.19). See sketch at front page. Note: (No.11) should be placed at last section.
- Repeat step b) and c) until the whole shelter is completed.
- Make sure the base is open to 143 3/4".
- Make sure the distances AD and BC have exactly the same length as per illustration, lengths depends on the model.




5. Cover installation (Ties are always on the inside)

- a) Place the roof in front of the shelter as illustrated.
- b) Unfold as illustrated then lift onto shelter as is.
- c) Place cover over the completed structure making sure that the TRIANGLE is at the front of the greenhouse.
- d) Tie all the ropes (12) around pipes.




6. Door Assembly

- a) Connect door with roof by velcro as shown.
- b) Repeat a) for the remaining doors.



7. Anchoring Greenhouse

- a) Place your greenhouse in the final position you want then close the doors, front and back if supplied before anchoring, anchor with brackets (No.14) and nail (No.13) as per diagram on the first page. Drive anchor into ground.
- b) Fix flap to your house (if applicable).



DANCOVER[®]

.com

Contact information

Head office:

Dancover A/S
Nordre Strandvej 119 G
3150 Hellebæk
Denmark

For more information
please visit:
www.dancovershop.com

National contact

Denmark: 70 26 76 20
denmark@dancover.com

UK: 020 8099 7570
uk@dancover.com

Germany: 041 0266 7040
germany@dancover.com

France: 0975 181 800
france@dancover.com

Sweden: 040 233 262
sverige@dancover.com

Finland: 0 931 581 720
suomi@dancover.com

Poland: 22 300 8602
polska@dancover.com

Luxembourg: +49 041 0266 7040
luxembourg@dancover.com

Portugal: 308 800 899
portugal@dancover.com

Spain: 911 436 828
espana@dancover.com

Italy: 02 479 21 198
italia@dancover.com

Switzerland: 0840 000125
schweiz@dancover.com

Austria: 0662 626935
austria@dancover.com

Norway: 231 00 690
norge@dancover.com

Nederland: 0 858 880 524
nederland@dancover.com

Ireland: 0 151 33 003
ireland@dancover.com

Belgium: 0 28 08 08 09
belgique@dancover.com